



euskara park residences

interior design specifications

euskara one interior

		colour	product
paint	Ceiling	Eighth Thorndon Cream N94-007-096	SpaceCote Flat Waterborne Enamel
	Architraves & Skirting	Eighth Thorndon Cream N94-007-096	Lustacryl Semi-gloss Waterborne Enamel
	Doors	Eighth Thorndon Cream N94-007-096	Lustacryl Semi-gloss Waterborne enamel
	Walls	Eighth Thorndon Cream N94-007-096	Dry areas: Zylone Sheen Acrylic low sheen Wet areas: SpaceCote Low Sheen
	Master Bedhead wallpaper	Loft L942123	Vision Wallcoverings

		product
floors/tiling	Kitchen floor, bathroom floor & bathroom skirting tile	Silk Bianco 300x600 kemgrout: 505
	Living/Bedrooms	Refer floor covering schedule

euskara one bathroom

		product
bathroom	Cabinetry	Bestwood Melamine Greyed Oak woodgrain; grain horizontal to base units; vertical to tall units, edged in matching 2mm PVC with clear glue
	Carcass	Standard white carcass grade with black edging
	Benchtop	Wilsonart Slate Grey D91-60, square clashed
	Feature wall panel behind vanity	Option 1: Stonex Seaglass Option 2: Backpainted glass, colour: Antique White DG3040
	Hardware	Ecomat hinges, plus Multifitech full extension drawer runners with high melamine sides
	Handles	Pro Décor 64mm stainless steel finish #044068, placed as per elevations



euskara park residences

interior design specifications

euskara one kitchen

product

cabinetry	Cabinetry	Bestwood Melamine Greyed Oak woodgrain, edged in matching 2mm PVC with clear glue
	Cabinetry Accent	Bestwood Melamine Arctic White embossed, edged in matching 2mm PVC with white glue
	Carcass	Standard white carcass grade, edged in white with Arctic White cabinetry, or black with Greyed Oak cabinetry
	Toekick & shadowpack to ceiling	To match cabinetry – Arctic White with Arctic White, Greyed Oak with Greyed Oak
	Negative detail to benchtops	Bestwood Melamine Arctic White embossed

product

benchtops	Benchtop	Option 1: Stonex Seaglass Option 2: Stonex Virtue
	Sink	Burns & Ferrall Franke B5 (508x358mm) undermounted + wastemaster
	Splashback	Option 1: Stonex Seaglass Option 2: Backpainted glass, colour: Antique White DG3040
	Bar table tops (only in applicable kitchen designs)	Wilsonart New Age Oak 7938-38

product

hardware	Hinges	Ecomat
	Drawer runners	Multitech full extension. Use higher sides on all deeper drawers.
	Handles	Pro Décor 64mm stainless steel finish #044068, placed as per elevations
	Push catches to wall cupboards where required	P20 pin push-to-open for overlay doors
	Bifold doors (where required)	Wingline
	Lights under wall cupboards	Low voltage flush mounted halogens – Siria (or similar)
	Bar table frames (only in applicable kitchen designs)	Powdercoated steel frame – finish tbc

product

accessories	Rubbish bin	KK4H twin bin, floor mounted under sink
	Cutlery inserts	Multitech white cutlery tray 600mm #044918 + melamine divider to rest of drawer
	Utensil inserts	White utensil insert 430mm #CUU + melamine divider to rest of drawer
	Towel rail	229mm stainless steel HWTR



euskara park residences

interior design specifications

euskara two interior

		colour	product
paint	Ceiling	Eighth Thorndon Cream N94-007-096	SpaceCote Flat Waterborne Enamel
	Architraves & Skirting	Eighth Thorndon Cream N94-007-096	Lustacryl Semi-gloss Waterborne Enamel
	Doors	Eighth Thorndon Cream N94-007-096	Lustacryl Semi-gloss Waterborne enamel
	Walls	Eighth Thorndon Cream N94-007-096	Dry areas: Zylone Sheen Acrylic low sheen Wet areas: SpaceCote Low Sheen
	Master Bedhead wallpaper	Zenith ZT290122	Tingeys

		product
floors/tiling	Kitchen floor, bathroom floor & bathroom skirting tile	Silk Bianco 300x600 kemgrout: 505
	Living/Bedrooms	Refer floor covering schedule

euskara two bathroom

		product
bathroom	Cabinetry	Bestwood Melamine Greyed Oak woodgrain; grain horizontal to base units; vertical to tall units, edged in matching 2mm PVC with clear glue
	Carcass	Standard white carcass grade with black edging
	Benchtop	Wilsonart Slate Grey D91-60, square clashed
	Feature wall panel behind vanity	Option 1: Stonex Spice Option 2: Backpainted glass, colour: Antique White DG3040
	Hardware	Ecomat hinges, plus Multifitech full extension drawer runners with high melamine sides
	Handles	Pro Décor 64mm stainless steel finish #044068, placed as per elevations



euskara park residences

interior design specifications

euskara two kitchen

product

cabinetry	Cabinetry	Bestwood Melamine Greyed Oak woodgrain, edged in matching 2mm PVC with clear glue
	Cabinetry Accent	Bestwood Melamine Arctic White embossed, edged in matching 2mm PVC with white glue
	Carcass	Standard white carcass grade, edged in white with Arctic White cabinetry, or black with Greyed Oak cabinetry
	Toekick & shadowpack to ceiling	To match cabinetry – Arctic White with Arctic White, Greyed Oak with Greyed Oak
	Negative detail to benchtops	Bestwood Melamine Arctic White embossed

product

benchtops	Benchtop	Option 1: Stonex Spice Option 2: Stonex Virtue
	Sink	Burns & Ferrall Franke B5 (508x358mm) undermounted + wastemaster
	Splashback	Option 1: Stonex Spice Option 2: Backpainted glass, colour: Antique White DG3040
	Bar table tops (only in applicable kitchen designs)	Wilsonart New Age Oak 7938-38

product

hardware	Hinges	Standard Ecomat
	Drawer runners	Multitech full extension. Use higher sides on all deeper drawers.
	Handles	Pro Décor 64mm stainless steel finish #044068, placed as per elevations
	Push catches to wall cupboards where required	P20 pin push-to-open for overlay doors
	Bifold doors (where required)	Wingline
	Lights under wall cupboards	Low voltage flush mounted halogens – Siria (or similar)
	Bar table frames (only in applicable kitchen designs)	Powdercoated steel frame – finish tbc

product

accessories	Rubbish bin	KK4H twin bin, floor mounted under sink
	Cutlery inserts	Multitech white cutlery tray 600mm #044918 + melamine divider to rest of drawer
	Utensil inserts	White utensil insert 430mm #CUU + melamine divider to rest of drawer
	Towel rail	229mm stainless steel HWTR



euskara park residences

interior design specifications

euskara premium one interior

		colour	product
paint	Ceiling	Eighth Thorndon Cream N94-007-096	SpaceCote Flat Waterborne Enamel
	Architraves & Skirting	Eighth Thorndon Cream N94-007-096	Lustacryl Semi-gloss Waterborne Enamel
	Doors	Eighth Thorndon Cream N94-007-096	Lustacryl Semi-gloss Waterborne enamel
	Walls	Eighth Thorndon Cream N94-007-096	Dry areas: Zylone Sheen Acrylic low sheen Wet areas: SpaceCote Low Sheen
	Master Bedhead wallpaper	Glamour G943065	Vision Wallcoverings

		product
floors/tiling	Kitchen floor, bathroom floor & bathroom skirting tile	Groove Coffee 445x445 kemgrout: 504
	Living/Bedrooms	Refer floor covering schedule

euskara premium one bathroom

		product
bathroom	Cabinetry	Bestwood Barista reconstituted veneer; grain horizontal to base units; vertical to tall units. Finish with: 2 pot polyurethane with UV inhibitors in sealer coat & 2 finish coats – DO NOT USE acid cat; edged in matching 1mm veneer clashing
	Carcass	Bestwood Melamine Tobacco embossed
	Benchtop	Bestwood Barista reconstituted veneer Finish with: 2 pot polyurethane with UV inhibitors in sealer coat & at least 2 finish coats – DO NOT USE acid cat
	Feature wall panel behind vanity	Option 1: Stonex Seaglass Option 2: Backpainted glass, Antique White DG3040
	Hardware	Innotech soft close hinges; Innotech Quadro V6 with silent system full extension drawer runners with silver topsides
	Handles	Pro Décor 160mm stainless steel #9995556, placed as per elevations



euskara park residences

interior design specifications

euskara premium one kitchen

		product
cabinetry	Cabinetry	Bestwood Barista reconstituted veneer; grain horizontal to base units & vertical to tall units , Finish with: 2 pot polyurethane with UV inhibitors in sealer coat & 2 finish coats – DO NOT USE acid cat ; edged in matching 1mm veneer clashing
	Cabinetry Accent	Bestwood Melamine Arctic White embossed, edged in matching 2mm PVC with white glue
	Carcass	Bestwood Melamine Arctic Grey
	Toekick & shadowpack to ceiling	To match cabinetry – Arctic White with Arctic White, veneer with veneer OR Wilsonart Polished Neutral Aluminium #6251 (419) to island on Apt 4.6
	Negative detail to benchtops	Bestwood Melamine Arctic White embossed

		product
benchtops	Benchtop	Option 1: Stonex Seaglass Option 2: Stonex Virtue
	Sink	Blanco Supra 500-U (500x400mm) undermounted + wastemaster
	Splashback	Option 1: Stonex Seaglass Option 2: Backpainted glass, colour: Antique White DG3040
	Bar table tops (only in applicable kitchen designs)	Wilsonart New Age Oak 7938-38

		product
hardware	Hinges	Standard Intermat soft close
	Drawer runners	520mm Innotech silver to most drawers + Quadro V6 with silent system. Use Pot & Pan drawers to all deeper drawers.
	Handles	Pro Décor 160mm stainless steel #9995556, placed as per elevations
	Push catches to wall cupboards where required	P2O pin push-to-open for overlay doors
	Bifold doors (where required)	Wingline
	Lights under wall cupboards	Low voltage flush mounted halogens – Siria (or similar)
	Bar table frames (only where applicable)	Powdercoated steel frame – finish tbc

		product
accessories	Rubbish bin	KK4H twin bin, floor mounted under sink
	Cutlery inserts	Innotech silver cutlery tray 400mm #044952 or 600mm #044947 + melamine divider to rest of drawer (Note these sizes will vary with kitchen design type)
	Utensil inserts	Innotech Multi-purpose silver tray 600mm #044928 + melamine divider to rest of drawer (Note these sizes will vary with kitchen design type)
	Towel rail	229mm stainless steel HWTR



euskara park residences

interior design specifications

euskara premium two interior

		colour	product
paint	Ceiling	Eighth Thorndon Cream N94-007-096	SpaceCote Flat Waterborne Enamel
	Architraves & Skirting	Eighth Thorndon Cream N94-007-096	Lustacryl Semi-gloss Waterborne Enamel
	Doors	Eighth Thorndon Cream N94-007-096	Lustacryl Semi-gloss Waterborne enamel
	Walls	Eighth Thorndon Cream N94-007-096	Dry areas: Zylone Sheen Acrylic low sheen Wet areas: SpaceCote Low Sheen
	Master Bedhead wallpaper	Architexture Helix 21690	Vision Wallcoverings

		product
floors/ tiling	Kitchen floor, bathroom floor & bathroom skirting tile	Groove Coffee 445x445 kemgrout: 504
	Living/Bedrooms	Refer floor covering schedule

euskara premium two bathroom

		product
bathroom	Cabinetry	Bestwood Washed Zebrano reconstituted veneer; grain horizontal to base units; vertical to tall units, Finish with: 2 pot polyurethane with UV inhibitors in sealer coat & 2 finish coats – DO NOT USE acid cat; edged in matching 1mm veneer clashing
	Carcass	Bestwood Melamine Tobacco embossed
	Benchtop	Bestwood Washed Zebrano reconstituted veneer Finish with: 2 pot polyurethane with UV inhibitors in sealer coat & at least 2 finish coats – DO NOT USE acid cat
	Feature wall panel behind vanity	Option 1: Stonex Spice Option 2: Backpainted glass, Antique White DG3040
	Hardware	Innotech soft close hinges; Innotech Quadro V6 with silent system full extension drawer runners with silver topsides
	Handles	Pro Décor 160mm stainless steel #9995556, placed as per elevations



euskara park residences

interior design specifications

euskara premium two kitchen

product

cabinetry	Cabinetry	Bestwood Washed Zebrano reconstituted veneer; grain horizontal to base units & vertical to tall units , Finish with: 2 pot polyurethane with UV inhibitors in sealer coat & 2 finish coats – DO NOT USE acid cat ; edged in matching 1mm veneer clashing
	Cabinetry Accent	Bestwood Melamine Arctic White embossed, edged in matching 2mm PVC with white glue
	Carcass	Bestwood Melamine Arctic Grey
	Toekick & shadowpack to ceiling	To match cabinetry – Arctic White with Arctic White, veneer with veneer OR Wilsonart Polished Neutral Aluminium #6251 (419) to island on Apt 4.6
	Negative detail to benchtops	Bestwood Melamine Arctic White embossed

product

benchtops	Benchtop	Option 1: Stonex Spice Option 2: Stonex Virtue
	Sink	Blanco Supra 500-U (500x400mm) undermounted + wastemaster
	Splashback	Option 1: Stonex Spice Option 2: Backpainted glass, colour: Antique White DG3040
	Bar table tops (only in applicable kitchen designs)	Wilsonart New Age Oak 7938-38

product

hardware	Hinges	Standard Intermat soft close
	Drawer runners	520mm Innotech silver to most drawers + Quadro V6 with silent system. Use Pot & Pan drawers to all deeper drawers.
	Handles	Pro Décor 160mm stainless steel #9995556, placed as per elevations
	Push catches to wall cupboards	P2O pin push-to-open for overlay doors
	Bifold doors (where required)	Wingline
	Lights under wall cupboards	Low voltage flush mounted halogens – Siria (or similar)
	Bar table frames (only where applicable)	Powdercoated steel frame – finish tbc

product

accessories	Rubbish bin	KK4H twin bin, floor mounted under sink
	Cutlery inserts	Innotech silver cutlery tray 400mm #044952 or 600mm #044947 + melamine divider to rest of drawer (Note these sizes will vary with kitchen design type)
	Utensil inserts	Innotech Multi-purpose silver tray 600mm #044928 + melamine divider to rest of drawer (Note these sizes will vary with kitchen design type)
	Towel rail	229mm stainless steel HWTR



euskara park residences

interior design specifications

Specification of products by Yellowfox is no guarantee of availability of those products. Yellowfox gives no warranty or guarantees regarding the quality of any product or its fitness for purpose. Yellowfox is a design service only. Customers and their contractors will need to follow all manufacturer instructions regarding the use and application of all products specified. Yellowfox accepts no responsibility for use of the products by Customer or their contractors.

To the extent permitted by law, Yellowfox expressly excludes liability for any claims relating to or arising from the supply of the design services which are not expressly accepted by Yellowfox in writing and you agree to indemnify Yellowfox against any such claim. In any event, Yellowfox's liability arising out of any claim or otherwise in respect of this specification shall not exceed the price of the design services. No claim may be made against Yellowfox for consequential damages or loss of profit.

NOTE: The developer reserves the right to adjust this specification without notice.

DISCLAIMER: Please note that this is a preliminary specification of products prepared prior to the commencement of construction. Changes may be made during construction and all details should be rechecked carefully as the construction work proceeds and up to date information becomes available. While very effort was made to ensure the information was true and correct at the time of printing no responsibility will be taken for any errors or omissions. This specification is for guideline only and does not constitute an offer or contract.